

**THIS PAGE IS INSERTED BY OIPE SCANNING  
AND IS NOT PART OF THE OFFICIAL RECORD**

## **Best Available Images**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

**BLACK BORDERS**

**TEXT CUT OFF AT TOP, BOTTOM OR SIDES**

**FADED TEXT**

**BLURRY OR ILLEGIBLE TEXT**

**SKEWED/SLANTED IMAGES**

**COLORED PHOTOS HAVE BEEN RENDERED INTO BLACK AND WHITE**

**VERY DARK BLACK AND WHITE PHOTOS**

**UNDECIPHERABLE GRAY SCALE DOCUMENTS**

**IMAGES ARE THE BEST AVAILABLE  
COPY. AS RESCANNING *WILL NOT*  
CORRECT IMAGES, PLEASE DO NOT  
REPORT THE IMAGES TO THE  
PROBLEM IMAGE BOX.**

# Appendix A

## Detailed Class Report

---

Pages 1-165

## Detailed Class Report

### Model name: BusinessFramework

Root file: C:\Depot\atrappen\_PR2601\_2\nbf\BusinessFramework.mdx

---

### Package Microsoft

BusinessFramework::Microsoft  
Stereotype: namespace

### Package BusinessFramework

BusinessFramework::Microsoft::BusinessFramework  
Stereotype: namespace

---

### Package Data

BusinessFramework::Microsoft::BusinessFramework::Data  
Stereotype: namespace

### Interface IOrderByArgument

BusinessFramework::Microsoft::BusinessFramework::Data::IOrderByArgument  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Objects that are passed to <see cref="Microsoft.BusinessFramework.Entity.Criteria.Criteria.OrderBy"/> must implement this interface.

### Interface ISelectArgument

BusinessFramework::Microsoft::BusinessFramework::Data::ISelectArgument  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Objects that are passed to <see cref="Microsoft.BusinessFramework.Entity.Criteria.Criteria.Select"/> must implement this interface.

### Package Entity

BusinessFramework::Microsoft::BusinessFramework::Entity  
Stereotype: namespace

### Package Criteria

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria

Stereotype: namespace

## Class AdHocQueryCriteria

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::AdHocQueryCriteria

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Provides the ability to specify an ad hoc query in terms of entity properties and fields.

### **Attribute SelectList**

TypeExpression: SelectList

DefaultValueExpression:

---

### **Operation AdHocQueryCriteria**

Visibility: 3 - PACKAGE

### **Operation AdHocQueryCriteria**

Visibility: 3 - PACKAGE

#### **Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

#### **Parameter joinList**

Kind: 0 - IN

TypeExpression: JoinList

DefaultValueExpression:

#### **Parameter selectList**

Kind: 0 - IN

TypeExpression: SelectList

DefaultValueExpression:

#### **Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

#### **Parameter orderByList**

Kind: 0 - IN

TypeExpression: OrderByList

DefaultValueExpression:

### **Operation Clone**

Visibility: 0 - PUBLIC

#### **Parameter Object**

Kind: 3 - RETURN  
TypeExpression: Object  
DefaultValueExpression:

### ***Operation GetNewCriteria***

Visibility: 3 - PACKAGE

#### **Parameter Criteria**

Kind: 3 - RETURN  
TypeExpression: Criteria  
DefaultValueExpression:

### ***Operation SelectList***

Visibility: 0 - PUBLIC

---

#### **Parameter value**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

### ***Operation SelectList***

Visibility: 0 - PUBLIC

#### **Parameter SelectList**

Kind: 3 - RETURN  
TypeExpression: SelectList  
DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

## **Class ArithmeticExpression**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ArithmeticExpression  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: The base class from which all arithmetic expression elements are derived.

### ***Attribute IsArithmeticExpression***

TypeExpression: bool  
DefaultValueExpression:

### ***Operation Equals***

Visibility: 0 - PUBLIC

#### **Parameter bool**

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

#### **Parameter obj**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

---

### ***Operation GetHashCode***

Visibility: 0 - PUBLIC

#### **Parameter int**

Kind: 3 - RETURN  
TypeExpression: int  
DefaultValueExpression:

### ***Operation IsArithmeticExpression***

Visibility: 3 - PACKAGE

#### **Parameter bool**

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

### ***Operation operator -***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation operator -**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator -**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter expression**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator -**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator !=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator !=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Operation operator !=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**



Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation operator %***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

---

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation operator %***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

### ***Operation operator %***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator &**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator &**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation operator &**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter l ft**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

***Operation operator \****

Visibility: 0 - PUBLIC

---

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

***Operation operator \****

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

***Operation operator \****

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Operation operator /**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

---

**Operation operator /**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator /**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator ^**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator ^**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation operator ^**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator |**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression.**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator |**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation operator |**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

---

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator ~**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter expression**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator +**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation operator +***

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

---

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation operator +***

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation operator <***

Visibility: 0 - PUBLIC



**Parameter BoolExpr ssion**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Operation operator <**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation operator <**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator <=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation operator <=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Operation operator <=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator ==**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator ==**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator ==**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation operator >***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

---

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation operator >***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation operator >***

Visibility: 0 - PUBLIC

**Parameter BoolExpr ssion**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Operation operator >=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation operator >=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation operator >=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Class ArithmeticOperator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ArithmeticOperator

Stereotype:

Visibility: 3 - PACKAGE

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which the arithmetich expression operator elements are derived.

**Attribute OperatorType**

TypeExpression: OperatorType

DefaultValueExpression:

**Attribute PrecedenceCategory**

TypeExpression: PrecedenceCategory

DefaultValueExpression:

**Operation ArithmeticOperator**

Visibility: 3 - PACKAGE

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Operation OperatorType**

Visibility: 3 - PACKAGE

**Parameter OperatorType**

Kind: 3 - RETURN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Operation PrecedenceCategory**

Visibility: 3 - PACKAGE

**Parameter PrecedenceCategory**

Kind: 3 - RETURN  
TypeExpression: PrecedenceCategory  
DefaultValueExpression:

---

**Operation ToToken**

Visibility: 0 - PUBLIC

**Parameter Token**

Kind: 3 - RETURN  
TypeExpression: Token  
DefaultValueExpression:

**Class AdHocQueryCriteria**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ArithmeticOperator::  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Provides the ability to specify an ad hoc query in terms of entity properties and fields.

**Attribute SelectList**

TypeExpression: SelectList  
DefaultValueExpression:

**Operation AdHocQueryCriteria**

Visibility: 3 - PACKAGE

**Operation AdHocQueryCriteria**

Visibility: 3 - PACKAGE

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

---

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

***Operation Clone***

Visibility: 0 - PUBLIC

**Parameter Object**

Kind: 3 - RETURN  
TypeExpression: Object  
DefaultValueExpression:

***Operation GetNewCriteria***

Visibility: 3 - PACKAGE

**Parameter Criteria**

Kind: 3 - RETURN  
TypeExpression: Criteria  
DefaultValueExpression:

***Operation SelectList***

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

***Operation SelectList***

Visibility: 0 - PUBLIC

**Parameter S lectList**



Kind: 3 - RETURN  
TypeExpression: SelectList  
DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

---

## **Class AssignmentExpression**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::AssignmentExpression  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Represents an expression to be assigned to the property for each entity in the set operation.  
(TODO add other set criterias)

### ***Operation AssignmentExpression***

Visibility: 3 - PACKAGE

### ***Operation AssignmentExpression***

Visibility: 3 - PACKAGE

#### **Parameter expression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

### ***Operation GetExpressionEnumerator***

Visibility: 1 - PROTECTED

#### **Parameter ExpressionEnumerator**

Kind: 3 - RETURN  
TypeExpression: ExpressionEnumerator  
DefaultValueExpression:

### ***Operation GetNewExpressionContainer***

Visibility: 1 - PROTECTED

#### **Parameter ExpressionContainer**

Kind: 3 - RETURN  
TypeExpression: ExpressionContainer  
DefaultValueExpression:

## Class AssignmentExpressionEnumerator

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::AssignmentExpressionE  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Used to enumerate the expression of a <see  
cref="AssignmentExpressionEnumerator"/>.

---

### **Operation AssignmentExpressionEnumerator**

Visibility: 0 - PUBLIC

#### **Parameter assignmentExpression**

Kind: 0 - IN  
TypeExpression: AssignmentExpression  
DefaultValueExpression:

## Class BinaryArithmeticOperator

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::BinaryArithmeticOperatc  
Stereotype:  
Visibility: 3 - PACKAGE  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: A representation of a binary arithmetic operator.

### **Attribute IsBinaryOperator**

TypeExpression: bool  
DefaultValueExpression:

### **Attribute LeftExpression**

TypeExpression: Expression  
DefaultValueExpression:

### **Attribute RightExpression**

TypeExpression: Expression  
DefaultValueExpression:

### **Operation BinaryArithmeticOperator**

Visibility: 3 - PACKAGE

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

**Operation IsBinaryOperator**

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation RightExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation RightExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class BinaryBoolOperator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::BinaryBoolOperator

Stereotype:

Visibility: 3 - PACKAGE

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: A representation of a binary boolean operator.

**Attribute IsBinaryOperator**

TypeExpression: bool

DefaultValueExpression:

**Attribute LeftExpression**

TypeExpression: Expression

DefaultValueExpression:

**Attribute RightExpression**

TypeExpression: Expression

DefaultValueExpression:

**Operation BinaryBoolOperator**

Visibility: 3 - PACKAGE

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

---

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation IsBinaryOperator**

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation RightExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation RightExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class BoolExpression**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::BoolExpression

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which all boolean expression elements are derived.

**Operation Equals**

Visibility: 0 - PUBLIC

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Parameter obj**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Operation GetHashCode**

Visibility: 0 - PUBLIC

**Parameter int**

Kind: 3 - RETURN  
TypeExpression: int  
DefaultValueExpression:

**Operation operator !**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

---

**Parameter expression**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation operator !=**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation operator &**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation operator ^**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

---

**Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation operator |**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation operator ==**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression



DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

***Operation operator false***

Visibility: 0 - PUBLIC

---

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

***Operation operator true***

Visibility: 0 - PUBLIC

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

**Class BoolOperator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::BoolOperator

Stereotype:

Visibility: 3 - PACKAGE

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which the boolean expression operator elements are derived.

**Attribute OperatorType**

TypeExpression: OperatorType  
DefaultValueExpression:

**Attribute PrecedenceCategory**

TypeExpression: PrecedenceCategory  
DefaultValueExpression:

**Operation BoolOperator**

Visibility: 3 - PACKAGE

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

---

**Operation OperatorType**

Visibility: 3 - PACKAGE

**Parameter OperatorType**

Kind: 3 - RETURN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Operation PrecedenceCategory**

Visibility: 3 - PACKAGE

**Parameter PrecedenceCategory**

Kind: 3 - RETURN  
TypeExpression: PrecedenceCategory  
DefaultValueExpression:

**Operation ToToken**

Visibility: 0 - PUBLIC

**Parameter Token**

Kind: 3 - RETURN  
TypeExpression: Token  
DefaultValueExpression:

**Class CollectionCriteria**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::CollectionCriteria  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Provides the ability to specify a collection query in terms of entity properties and fields.

### ***Attribute entityCollectionType***

TypeExpression: EntityCollectionType  
DefaultValueExpression:

### ***Attribute EntityCollectionType***

TypeExpression: EntityCollectionType  
DefaultValueExpression:

### ***Operation Clone***

Visibility: 0 - PUBLIC

---

### ***Parameter Object***

Kind: 3 - RETURN  
TypeExpression: Object  
DefaultValueExpression:

### ***Operation CollectionCriteria***

Visibility: 3 - PACKAGE

### ***Operation CollectionCriteria***

Visibility: 3 - PACKAGE

### ***Parameter entityCollectionType***

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

### ***Parameter entityAliasList***

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

### ***Parameter joinList***

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

### ***Parameter whereExpression***

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

### ***Parameter orderByList***

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Operation EntityCollectionType**

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN

TypeExpression: EntityCollectionType

DefaultValueExpression:

**Operation EntityCollectionType**

Visibility: 0 - PUBLIC

**Parameter EntityCollectionType**

Kind: 3 - RETURN

TypeExpression: EntityCollectionType

DefaultValueExpression:

**Operation GetNewCriteria**

Visibility: 3 - PACKAGE

**Parameter Criteria**

Kind: 3 - RETURN

TypeExpression: Criteria

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class Criteria**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Criteria

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which all criteria classes are derived.

**Attribute EntityAliasList**

TypeExpression: EntityAliasList

DefaultValueExpression:

**Attribute JoinList**

TypeExpression: JoinList  
DefaultValueExpression:

**Attribute LEFT\_ARRAY\_BRACKET**

TypeExpression: string  
DefaultValueExpression: "["

**Attribute RIGHT\_ARRAY\_BRACKET**

TypeExpression: string  
DefaultValueExpression: "]"

**Attribute WhereExpression**

TypeExpression: WhereExpression  
DefaultValueExpression:

---

**Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

---

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression

DefaultValueExpression:

• **Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN

TypeExpression: AdHocQueryCriteria

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

---

**Parameter joinList**

Kind: 0 - IN

TypeExpression: JoinList

DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN

TypeExpression: SelectList

DefaultValueExpression:

• **Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN

TypeExpression: AdHocQueryCriteria

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN

TypeExpression: SelectList

DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN

TypeExpression: OrderByList

DefaultValueExpression:

### ***Operation AdHocQueryCriteria***

Visibility: 0 - PUBLIC

#### **Parameter AdHocQueryCriteria**

Kind: 3 - RETURN

TypeExpression: AdHocQueryCriteria

DefaultValueExpression:

#### **Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

---

#### **Parameter selectList**

Kind: 0 - IN

TypeExpression: SelectList

DefaultValueExpression:

#### **Parameter orderByList**

Kind: 0 - IN

TypeExpression: OrderByList

DefaultValueExpression:

### ***Operation AdHocQueryCriteria***

Visibility: 0 - PUBLIC

#### **Parameter AdHocQueryCriteria**

Kind: 3 - RETURN

TypeExpression: AdHocQueryCriteria

DefaultValueExpression:

#### **Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

#### **Parameter selectList**

Kind: 0 - IN

TypeExpression: SelectList

DefaultValueExpression:

#### **Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

### ***Operation AdHocQueryCriteria***

Visibility: 0 - PUBLIC



**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

---

**• Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

---

**Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

---

**Operation AdHocQueryCriteria**

Visibility: 0 - PUBLIC

**Parameter AdHocQueryCriteria**

Kind: 3 - RETURN  
TypeExpression: AdHocQueryCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter selectList**

Kind: 0 - IN  
TypeExpression: SelectList  
DefaultValueExpression:

**Operation And**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

---

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation Assignment**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignment**

Kind: 3 - RETURN  
TypeExpression: PropertyAssignment  
DefaultValueExpression:

**Parameter property**

Kind: 0 - IN  
TypeExpression: Property  
DefaultValueExpression:

**Parameter valueExpression**

Kind: 0 - IN  
TypeExpression: AssignmentExpression  
DefaultValueExpression:

**Operation Assignment**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignment**

Kind: 3 - RETURN  
TypeExpression: PropertyAssignment  
DefaultValueExpression:

**Parameter property**

Kind: 0 - IN  
TypeExpression: Property  
DefaultValueExpression:

**Parameter valueExpression**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation Assignment**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignment**

Kind: 3 - RETURN  
TypeExpression: PropertyAssignment  
DefaultValueExpression:

**Parameter property**

Kind: 0 - IN  
TypeExpression: Property  
DefaultValueExpression:

**Parameter valueExpression**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation AssignmentExpression**

Visibility: 0 - PUBLIC

**Parameter AssignmentExpression**

Kind: 3 - RETURN  
TypeExpression: AssignmentExpression  
DefaultValueExpression:

**Operation AssignmentExpression**

Visibility: 0 - PUBLIC

**Parameter AssignmentExpression**

Kind: 3 - RETURN  
TypeExpression: AssignmentExpression  
DefaultValueExpression:

**Parameter expression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation BitwiseAnd**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation BitwiseAnd**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Operation BitwiseAnd**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation BitwiseNot***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter expression**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

### ***Operation BitwiseOr***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation BitwiseOr***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN

TypeExpression: Object  
DefaultValueExpression:

### ***Operation BitwiseOr***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left:**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

---

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation BitwiseXor***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation BitwiseXor***

Visibility: 0 - PUBLIC

#### **Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

***Operation BitwiseXor***

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

---

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

***Operation Clone***

Visibility: 0 - PUBLIC

**Parameter Object**

Kind: 3 - RETURN

TypeExpression: Object

DefaultValueExpression:

***Operation CollectionCriteria***

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN

TypeExpression: CollectionCriteria

DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN

TypeExpression: EntityAlias

DefaultValueExpression:

***Operation CollectionCriteria***

Visibility: 0 - PUBLIC



**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

---

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

---

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollecti nType**

Kind: 0 - IN

TypeExpression: EntityCollectionType

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

---

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN

TypeExpression: CollectionCriteria

DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN

TypeExpression: EntityCollectionType

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN

TypeExpression: CollectionCriteria

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

---

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

---

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN

TypeExpression: CollectionCriteria

DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN

TypeExpression: EntityCollectionType

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN

TypeExpression: OrderByList

DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN

TypeExpression: CollectionCriteria

DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN

TypeExpression: EntityCollectionType

DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN

TypeExpression: EntityAlias

DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

---

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:



**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

---

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Parameter orderByList**

Kind: 0 - IN  
TypeExpression: OrderByList  
DefaultValueExpression:

**• Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

---

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Operation CollectionCriteria**

Visibility: 0 - PUBLIC

**Parameter CollectionCriteria**

Kind: 3 - RETURN  
TypeExpression: CollectionCriteria  
DefaultValueExpression:

**Parameter entityCollectionType**

Kind: 0 - IN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Operation Criteria**

Visibility: 3 - PACKAGE

**Parameter entityAliasList**

---

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Operation Criteria**

Visibility: 3 - PACKAGE

**Operation Divide**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation Divide**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation Divide**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation EntityAlias**

Visibility: 0 - PUBLIC

**Parameter EntityAlias**

Kind: 3 - RETURN

TypeExpression: EntityAlias

DefaultValueExpression:

**Parameter parentKey**

Kind: 0 - IN

TypeExpression: IKey

DefaultValueExpression:

**Parameter entityType**

Kind: 0 - IN  
TypeExpression: EntityType  
DefaultValueExpression:

**Parameter alias**

Kind: 0 - IN  
TypeExpression: String  
DefaultValueExpression:

**Operation EntityAlias**

Visibility: 0 - PUBLIC

**Parameter EntityAlias**

Kind: 3 - RETURN  
TypeExpression: EntityAlias  
DefaultValueExpression:

---

**Parameter parentKey**

Kind: 0 - IN  
TypeExpression: IKey  
DefaultValueExpression:

**Parameter entityType**

Kind: 0 - IN  
TypeExpression: Type  
DefaultValueExpression:

**Parameter alias**

Kind: 0 - IN  
TypeExpression: String  
DefaultValueExpression:

**Operation EntityAlias**

Visibility: 0 - PUBLIC

**Parameter EntityAlias**

Kind: 3 - RETURN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter parentKey**

Kind: 0 - IN  
TypeExpression: IKey  
DefaultValueExpression:

**Parameter entityType**

Kind: 0 - IN  
TypeExpression: EntityType  
DefaultValueExpression:

**Operation EntityAlias**

Visibility: 0 - PUBLIC

**Parameter EntityAlias**

Kind: 3 - RETURN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter parentKey**

Kind: 0 - IN  
TypeExpression: IKey  
DefaultValueExpression:

**Parameter entityType**

Kind: 0 - IN  
TypeExpression: Type  
DefaultValueExpression:

---

***Operation EntityAliases***

Visibility: 0 - PUBLIC

**Parameter EntityAliasList**

Kind: 3 - RETURN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter entityAliases**

Kind: 0 - IN  
TypeExpression: params EntityAlias[]  
DefaultValueExpression:

***Operation EntityAliases***

Visibility: 0 - PUBLIC

**Parameter EntityAliasList**

Kind: 3 - RETURN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

***Operation EntityAliasList***

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

***Operation EntityAliasList***

Visibility: 0 - PUBLIC

**Parameter EntityAliasList**

Kind: 3 - RETURN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Operation EntityCollectionType**

Visibility: 0 - PUBLIC

**Parameter EntityCollectionType**

Kind: 3 - RETURN  
TypeExpression: EntityCollectionType  
DefaultValueExpression:

**Parameter type**

---

Kind: 0 - IN  
TypeExpression: Type  
DefaultValueExpression:

**Operation EntityCriteria**

Visibility: 0 - PUBLIC

**Parameter EntityCriteria**

Kind: 3 - RETURN  
TypeExpression: EntityCriteria  
DefaultValueExpression:

**Parameter entityKey**

Kind: 0 - IN  
TypeExpression: EntityKey  
DefaultValueExpression:

**Operation EntityCriteria**

Visibility: 0 - PUBLIC

**Parameter EntityCriteria**

Kind: 3 - RETURN  
TypeExpression: EntityCriteria  
DefaultValueExpression:

**Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: EntityAlias  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Operation EntityCriteria**

Visibility: 0 - PUBLIC

**Parameter EntityCriteria**

Kind: 3 - RETURN

TypeExpression: EntityCriteria

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Parameter joinList**

Kind: 0 - IN

TypeExpression: JoinList

DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

**Operation EntityCriteria**

Visibility: 0 - PUBLIC

**Parameter EntityCriteria**

Kind: 3 - RETURN

TypeExpression: EntityCriteria

DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

**Operation EntitySetUpdateCriteria**

Visibility: 0 - PUBLIC

**Parameter EntitySetUpdateCriteria**

Kind: 3 - RETURN

TypeExpression: EntitySetUpdateCriteria

DefaultValueExpression:

**Parameter entityAliasList**



Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter propertyAssignmentList**

Kind: 0 - IN  
TypeExpression: PropertyAssignmentList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

***Operation EntitySetUpdateCriteria***

Visibility: 0 - PUBLIC

---

**Parameter EntitySetUpdateCriteria**

Kind: 3 - RETURN  
TypeExpression: EntitySetUpdateCriteria  
DefaultValueExpression:

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter propertyAssignmentList**

Kind: 0 - IN  
TypeExpression: PropertyAssignmentList  
DefaultValueExpression:

***Operation EntityType***

Visibility: 0 - PUBLIC

**Parameter EntityType**

Kind: 3 - RETURN  
TypeExpression: EntityType  
DefaultValueExpression:

**Parameter type**

Kind: 0 - IN  
TypeExpression: Type  
DefaultValueExpression:

***Operation Equal***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation Equal***

Visibility: 0 - PUBLIC

---

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation Equal***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation Equal***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

---

**Operation GetNewCriteria**

Visibility: 3 - PACKAGE

**Parameter Criteria**

Kind: 3 - RETURN  
TypeExpression: Criteria  
DefaultValueExpression:

**Operation GreaterThan**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation GreaterThan**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation GreaterThan***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

---

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation GreaterThanOrEqual***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation GreaterThanOrEqual***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

---

**Operation GreaterThanOrEqual**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation InnerJoin**

Visibility: 0 - PUBLIC

**Parameter JoinExpression**

Kind: 3 - RETURN  
TypeExpression: JoinExpression  
DefaultValueExpression:

**Operation InnerJoin**

Visibility: 0 - PUBLIC

**Parameter JoinExpression**

Kind: 3 - RETURN  
TypeExpression: JoinExpression  
DefaultValueExpression:

**Parameter** ftEntityAlias

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

**Parameter** rightEntityAlias

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

**Parameter** boolExpression

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

---

**Operation** JoinList

Visibility: 0 - PUBLIC

**Parameter** value

Kind: 0 - IN  
TypeExpression: JoinList  
DefaultValueExpression:

**Operation** JoinList

Visibility: 0 - PUBLIC

**Parameter** JoinList

Kind: 3 - RETURN  
TypeExpression: JoinList  
DefaultValueExpression:

**Operation** Joins

Visibility: 0 - PUBLIC

**Parameter** JoinList

Kind: 3 - RETURN  
TypeExpression: JoinList  
DefaultValueExpression:

**Operation** Joins

Visibility: 0 - PUBLIC

**Parameter** JoinList

Kind: 3 - RETURN  
TypeExpression: JoinList  
DefaultValueExpression:

**Parameter** joinExpressions

Kind: 0 - IN  
TypeExpression: params JoinExpression[]  
DefaultValueExpression:

### ***Operation LeftJoin***

Visibility: 0 - PUBLIC

#### **Parameter JoinExpression**

Kind: 3 - RETURN  
TypeExpression: JoinExpression  
DefaultValueExpression:

### ***Operation LeftJoin***

Visibility: 0 - PUBLIC

---

#### **Parameter JoinExpression**

Kind: 3 - RETURN  
TypeExpression: JoinExpression  
DefaultValueExpression:

#### **Parameter leftEntityAlias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

#### **Parameter rightEntityAlias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

#### **Parameter boolExpression**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

### ***Operation LessThan***

Visibility: 0 - PUBLIC

#### **Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation LessThan***

Visibility: 0 - PUBLIC

#### **Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

### ***Operation LessThan***

Visibility: 0 - PUBLIC

#### **Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation LessThanOrEqual***

Visibility: 0 - PUBLIC

#### **Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression



DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

***Operation LessThanOrEqual***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

---

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

***Operation LessThanOrEqual***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

***Operation Like***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation Like***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

---

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation Like***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation Literal***

Visibility: 0 - PUBLIC

**Parameter Literal**

Kind: 3 - RETURN  
TypeExpression: Literal  
DefaultValueExpression:

**Parameter literalObject**

Kind: 0 - IN  
TypeExpression: object  
DefaultValueExpression:

***Operation Minus***

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

---

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

***Operation Minus***

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

***Operation Minus***

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Operation Modulus**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation Modulus**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation Modulus**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation Multiply**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation Multiply**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation Multiply**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation Negative**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter expression**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation Not**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter xpression**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Operation NotEqual**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

**Operation NotEqual**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Operation NotEqual**

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN

TypeExpression: BoolExpression

DefaultValueExpression:

**Parameter left**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

### ***Operation NotEqual***

Visibility: 0 - PUBLIC

#### **Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

### ***Operation Or***

Visibility: 0 - PUBLIC

#### **Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

#### **Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

### ***Operation OrderBy***

Visibility: 0 - PUBLIC

#### **Parameter OrderByList**

Kind: 3 - RETURN  
TypeExpression: OrderByList  
DefaultValueExpression:

### ***Operation OrderBy***



Visibility: 0 - PUBLIC

**Parameter OrderByList**

Kind: 3 - RETURN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Parameter orderByExpressions**

Kind: 0 - IN  
TypeExpression: params OrderByExpression[]  
DefaultValueExpression:

***Operation OrderBy***

Visibility: 0 - PUBLIC

---

**Parameter OrderByList**

Kind: 3 - RETURN  
TypeExpression: OrderByList  
DefaultValueExpression:

**Parameter arguments**

Kind: 0 - IN  
TypeExpression: params IOrderByArgument[]  
DefaultValueExpression:

***Operation OrderByExpression***

Visibility: 0 - PUBLIC

**Parameter OrderByExpression**

Kind: 3 - RETURN  
TypeExpression: OrderByExpression  
DefaultValueExpression:

**Parameter property**

Kind: 0 - IN  
TypeExpression: Property  
DefaultValueExpression:

***Operation OrderByExpression***

Visibility: 0 - PUBLIC

**Parameter OrderByExpression**

Kind: 3 - RETURN  
TypeExpression: OrderByExpression  
DefaultValueExpression:

**Parameter property**

Kind: 0 - IN  
TypeExpression: Property  
DefaultValueExpression:

**Parameter direction**

Kind: 0 - IN  
TypeExpression: OrderByDirection  
DefaultValueExpression:

**Operation Plus**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

---

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation Plus**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

**Operation Plus**

Visibility: 0 - PUBLIC

**Parameter ArithmeticExpression**

Kind: 3 - RETURN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Operation Property**

Visibility: 0 - PUBLIC

**Parameter Property**

Kind: 3 - RETURN  
TypeExpression: Property  
DefaultValueExpression:

**Parameter propertyName**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

**Operation PropertyAssignments**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignmentList**

Kind: 3 - RETURN  
TypeExpression: PropertyAssignmentList  
DefaultValueExpression:

**Parameter propertyAssignments**

Kind: 0 - IN  
TypeExpression: params PropertyAssignment[]  
DefaultValueExpression:

**Operation PropertyAssignments**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignmentList**

Kind: 3 - RETURN  
TypeExpression: PropertyAssignmentList  
DefaultValueExpression:

**Operation RightJoin**

Visibility: 0 - PUBLIC

**Parameter JoinExpression**

Kind: 3 - RETURN  
TypeExpression: JoinExpression  
DefaultValueExpression:

### ***Operation RightJoin***

Visibility: 0 - PUBLIC

#### **Parameter JoinExpression**

Kind: 3 - RETURN  
TypeExpression: JoinExpression  
DefaultValueExpression:

#### **Parameter leftEntityAlias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

---

#### **Parameter rightEntityAlias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

#### **Parameter boolExpression**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

### ***Operation Select***

Visibility: 0 - PUBLIC

#### **Parameter SelectList**

Kind: 3 - RETURN  
TypeExpression: SelectList  
DefaultValueExpression:

### ***Operation Select***

Visibility: 0 - PUBLIC

#### **Parameter SelectList**

Kind: 3 - RETURN  
TypeExpression: SelectList  
DefaultValueExpression:

#### **Parameter properties**

Kind: 0 - IN  
TypeExpression: params Property[]  
DefaultValueExpression:

### ***Operation Select***

Visibility: 0 - PUBLIC

**Parameter SelectList**

Kind: 3 - RETURN

TypeExpression: SelectList

DefaultValueExpression:

**Parameter selectExpressions**

Kind: 0 - IN

TypeExpression: params SelectExpression[]

DefaultValueExpression:

***Operation SelectExpression***

Visibility: 0 - PUBLIC

---

**Parameter SelectExpression**

Kind: 3 - RETURN

TypeExpression: SelectExpression

DefaultValueExpression:

**Parameter property**

Kind: 0 - IN

TypeExpression: Property

DefaultValueExpression:

***Operation SortType***

Visibility: 0 - PUBLIC

**Parameter SortType**

Kind: 3 - RETURN

TypeExpression: SortType

DefaultValueExpression:

**Parameter direction**

Kind: 0 - IN

TypeExpression: OrderByDirection

DefaultValueExpression:

***Operation Where***

Visibility: 0 - PUBLIC

**Parameter WhereExpression**

Kind: 3 - RETURN

TypeExpression: WhereExpression

DefaultValueExpression:

***Op ration Where***

Visibility: 0 - PUBLIC

**Parameter Wh reExpression**

Kind: 3 - RETURN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Parameter boolExpression**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

***Operation WhereExpression***

Visibility: 0 - PUBLIC

**Parameter WhereExpression**

---

Kind: 3 - RETURN  
TypeExpression: WhereExpression  
DefaultValueExpression:

***Operation WhereExpression***

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

***Operation Xor***

Visibility: 0 - PUBLIC

**Parameter BoolExpression**

Kind: 3 - RETURN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

**Class CriteriaCapabilitiesAttribute**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::CriteriaCapabilitiesAttrib  
 Stereotype:  
 Visibility: 0 - PUBLIC  
 Multiplicity:  
 Persistence: 0 - PERSISTENT

Documentation: Specifies information for a custom data type that allows it be used in Criteria.  
 If applied to a type, indicates the capabilities of the type. If applied to a  
 property or field, indicates the capabilities of the member's type.

### ***Attribute methodName***

TypeExpression: string  
 DefaultValueExpression:

### ***Attribute PropertySqlExpressionMethodDeclaringType***

TypeExpression: Type  
 DefaultValueExpression:

### ***Attribute PropertySqlExpressionMethodName***

TypeExpression: string  
 DefaultValueExpression:

### ***Attribute SqlOperandFormat***

TypeExpression: string  
 DefaultValueExpression: "sql"

### ***Attribute SupportedOperators***

TypeExpression: OperatorSet  
 DefaultValueExpression:

### ***Operation CriteriaCapabilitiesAttribute***

Visibility: 0 - PUBLIC

#### **Parameter operators**

Kind: 0 - IN  
 TypeExpression: OperatorSet  
 DefaultValueExpression:

### ***Operation PropertySqlExpressionMethodDeclaringType***

Visibility: 0 - PUBLIC

#### **Parameter value**

Kind: 0 - IN  
 TypeExpression: Type  
 DefaultValueExpression:

### ***Operation PropertySqlExpressionMethodDeclaringType***

Visibility: 0 - PUBLIC

#### **Parameter Type**

Kind: 3 - RETURN

TypeExpression: Type  
DefaultValueExpression:

### ***Operation PropertySqlExpressionMethodName***

Visibility: 0 - PUBLIC

#### **Parameter value**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation PropertySqlExpressionMethodName***

Visibility: 0 - PUBLIC

---

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation SupportedOperators***

Visibility: 0 - PUBLIC

#### **Parameter OperatorSet**

Kind: 3 - RETURN  
TypeExpression: OperatorSet  
DefaultValueExpression:

## **Class CriteriaWithOrderBy**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::CriteriaWithOrderBy

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class for criteria objects that have an <see cref="OrderByList"/>.

### ***Attribute OrderByList***

TypeExpression: OrderByList  
DefaultValueExpression:

### ***Operation Clone***

Visibility: 0 - PUBLIC

#### **Parameter Object**

Kind: 3 - RETURN  
TypeExpression: Object



DefaultValueExpression:

### ***Operation CriteriaWithOrderBy***

Visibility: 3 - PACKAGE

### ***Operation CriteriaWithOrderBy***

Visibility: 3 - PACKAGE

#### **Parameter entityAliasList**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

#### **Parameter joinList**

Kind: 0 - IN

TypeExpression: JoinList

DefaultValueExpression:

#### **Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

#### **Parameter orderByList**

Kind: 0 - IN

TypeExpression: OrderByList

DefaultValueExpression:

### ***Operation OrderByList***

Visibility: 0 - PUBLIC

#### **Parameter value**

Kind: 0 - IN

TypeExpression: OrderByList

DefaultValueExpression:

### ***Operation OrderByList***

Visibility: 0 - PUBLIC

#### **Parameter OrderByList**

Kind: 3 - RETURN

TypeExpression: OrderByList

DefaultValueExpression:

## **Class DataMember**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::DataMember

Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: The base class from which all data member expression elements are derived.

### ***Attribute name***

TypeExpression: string  
DefaultValueExpression:

### ***Attribute Name***

TypeExpression: string  
DefaultValueExpression:

### ***Operation DataMember***

---

Visibility: 0 - PUBLIC

#### **Parameter dataMemberName**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation Name***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

## **Class DataMemberToken**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::DataMemberToken  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Represents an entity data member (field or property).

**Attribute dataMemberName**

TypeExpression: string  
DefaultValueExpression:

**Attribute DataMemberName**

TypeExpression: string  
DefaultValueExpression:

**Attribute DataMemberType**

TypeExpression: DataMemberType  
DefaultValueExpression:

**Operation DataMemberName**

Visibility: 0 - PUBLIC

---

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Operation DataMemberToken**

Visibility: 0 - PUBLIC

**Parameter dataMemberType**

Kind: 0 - IN  
TypeExpression: DataMemberType  
DefaultValueExpression:

**Parameter dataMemberName**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

**Operation DataMemberType**

Visibility: 0 - PUBLIC

**Parameter DataMemberType**

Kind: 3 - RETURN  
TypeExpression: DataMemberType  
DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

***Operation ToTerminal***

Visibility: 0 - PUBLIC

***Parameter Terminal***

Kind: 3 - RETURN

TypeExpression: Terminal

DefaultValueExpression:

**Enumeration DataMemberType**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::DataMemberType

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Specifies a list of data member types.

&lt;seealso cref="DataMemberToken"/&gt;

***Enumeration Literal Field***

value:

***Enumeration Literal Property***

value:

**Class EntityAlias**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EntityAlias

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

***Attribute alias***

TypeExpression: string

DefaultValueExpression:

***Attribute Alias***

TypeExpression: string

DefaultValueExpression:

***Attribute EntityType***

TypeExpression: EntityType

DefaultValueExpression:

***Attribute ParentKey***

TypeExpression: IKey  
DefaultValueExpression:

### ***Operation Alias***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation Clone***

Visibility: 0 - PUBLIC

#### **Parameter object**

---

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

### ***Operation EntityAlias***

Visibility: 3 - PACKAGE

#### **Parameter parentKey**

Kind: 0 - IN  
TypeExpression: IKey  
DefaultValueExpression:

#### **Parameter entityType**

Kind: 0 - IN  
TypeExpression: EntityType  
DefaultValueExpression:

#### **Parameter alias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation EntityAlias***

Visibility: 3 - PACKAGE

#### **Parameter parentKey**

Kind: 0 - IN  
TypeExpression: IKey  
DefaultValueExpression:

#### **Parameter entityType**

Kind: 0 - IN  
TypeExpression: EntityType  
DefaultValueExpression:

**Operation EntityType**

Visibility: 0 - PUBLIC

**Parameter EntityType**

Kind: 3 - RETURN

TypeExpression: EntityType

DefaultValueExpression:

**Operation ParentKey**

Visibility: 0 - PUBLIC

**Parameter IKey**

Kind: 3 - RETURN

TypeExpression: IKey

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class EntityAliasList**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EntityAliasList

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Stores a list of entity aliases.

**Attribute Count**

TypeExpression: int

DefaultValueExpression:

**Attribute INITIAL\_STRINGBUILDER\_CAPACITY**

TypeExpression: int

DefaultValueExpression: 256

**Attribute LIST\_SEPARATOR**

TypeExpression: string

DefaultValueExpression: ", "

**Operation Add**

Visibility: 0 - PUBLIC

**Parameter entityAlias**

Kind: 0 - IN

TypeExpression: EntityAlias

DefaultValueExpression:

***Operation AddRange***

Visibility: 0 - PUBLIC

**Parameter entityAliases**

Kind: 0 - IN

TypeExpression: EntityAlias[]

DefaultValueExpression:

---

***Operation Clone***

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

***Operation Count***

Visibility: 0 - PUBLIC

**Parameter int**

Kind: 3 - RETURN

TypeExpression: int

DefaultValueExpression:

***Operation EntityAliasList***

Visibility: 3 - PACKAGE

***Operation EntityAliasList***

Visibility: 3 - PACKAGE

**Parameter entityAlias**

Kind: 0 - IN

TypeExpression: EntityAlias

DefaultValueExpression:

***Operation EntityAliasList***

Visibility: 2 - PRIVATE

**Parameter entityAliases**

Kind: 0 - IN

TypeExpression: ArrayList  
DefaultValueExpression:

### ***Operation GetEnumerator***

Visibility: 0 - PUBLIC

#### **Parameter IEnumerator**

Kind: 3 - RETURN  
TypeExpression: IEnumerator  
DefaultValueExpression:

### ***Operation GetFullPropertyName***

Visibility: 0 - PUBLIC

---

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

#### **Parameter entityAliasAndPropertyName**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation IndexOf***

Visibility: 0 - PUBLIC

#### **Parameter int**

Kind: 3 - RETURN  
TypeExpression: int  
DefaultValueExpression:

#### **Parameter entityAlias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation ToArray***

Visibility: 0 - PUBLIC

#### **Parameter EntityAlias[]**

Kind: 3 - RETURN  
TypeExpression: EntityAlias[]  
DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC



**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Class EntityCollectionType**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EntityCollectionType

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

---

Documentation: Represents a collection container that implements the <see cref="IPersistentCollection"/> interface.

**Attribute Type**

TypeExpression: Type  
DefaultValueExpression:

**Operation EntityCollectionType**

Visibility: 3 - PACKAGE

**Parameter type**

Kind: 0 - IN  
TypeExpression: Type  
DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Operation Type**

Visibility: 0 - PUBLIC

**Parameter Type**

Kind: 3 - RETURN  
TypeExpression: Type  
DefaultValueExpression:

## Class EntityCriteria

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EntityCriteria

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Provides the ability to specify a single entity query in terms of the entity and its properties and fields.

### **Operation EntityCriteria**

Visibility: 3 - PACKAGE

### **Operation EntityCriteria**

Visibility: 3 - PACKAGE

---

#### **Parameter entityKey**

Kind: 0 - IN

TypeExpression: EntityKey

DefaultValueExpression:

### **Operation EntityCriteria**

Visibility: 3 - PACKAGE

#### **Parameter entityAliases**

Kind: 0 - IN

TypeExpression: EntityAliasList

DefaultValueExpression:

#### **Parameter joinList**

Kind: 0 - IN

TypeExpression: JoinList

DefaultValueExpression:

#### **Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

### **Operation GetNewCriteria**

Visibility: 3 - PACKAGE

#### **Parameter Criteria**

Kind: 3 - RETURN

TypeExpression: Criteria

DefaultValueExpression:

### **Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Class EntitySetUpdateCriteria**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EntitySetUpdateCriteria  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

---

Documentation: Defines a set update operation.

**Attribute PropertyAssignmentList**

TypeExpression: PropertyAssignmentList  
DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter Object**

Kind: 3 - RETURN  
TypeExpression: Object  
DefaultValueExpression:

**Operation EntitySetUpdateCriteria**

Visibility: 3 - PACKAGE

**Operation EntitySetUpdateCriteria**

Visibility: 3 - PACKAGE

**Parameter entityAliasList**

Kind: 0 - IN  
TypeExpression: EntityAliasList  
DefaultValueExpression:

**Parameter propertyAssignmentList**

Kind: 0 - IN  
TypeExpression: PropertyAssignmentList  
DefaultValueExpression:

**Parameter whereExpression**

Kind: 0 - IN  
TypeExpression: WhereExpression  
DefaultValueExpression:

**Operation GetNewCriteria**

Visibility: 3 - PACKAGE

**Parameter Criteria**

Kind: 3 - RETURN

TypeExpression: Criteria

DefaultValueExpression:

**Operation PropertyAssignmentList**

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN

TypeExpression: PropertyAssignmentList

DefaultValueExpression:

**Operation PropertyAssignmentList**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignmentList**

Kind: 3 - RETURN

TypeExpression: PropertyAssignmentList

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class EntityType**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EntityType

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

**Attribute Type**

TypeExpression: Type

DefaultValueExpression:

**Operation EntityType**

Visibility: 3 - PACKAGE

**Parameter type**

Kind: 0 - IN  
TypeExpression: Type  
DefaultValueExpression:

***Operation ToString***

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

---

***Operation Type***

Visibility: 0 - PUBLIC

**Parameter Type**

Kind: 3 - RETURN  
TypeExpression: Type  
DefaultValueExpression:

**Enumeration EnumerationStatus**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::EnumerationStatus  
Stereotype:  
Visibility: 3 - PACKAGE  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Defines a list of enumeration statuses.

***Enumeration Literal HasEnteredNode***

value:

***Enumeration Literal OpenParenthesis***

value:

***Enumeration Literal HasBranchedLeft***

value:

***Enumeration Literal BinaryOperator***

value:

***Enumeration Literal HasBranchedRight***

value:

**Enumeration Literal UnaryOperator**

value:

**Enumeration Literal HasBranched**

value:

**Enumeration Literal CloseParenthesis**

value:

**Enumeration Literal HasFinishedNode**

value:

---

**Class Expression**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Expression

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which all Criteria expression elements are derived.

**Attribute CLOSE\_PARENTHESIS**

TypeExpression: string

DefaultValueExpression: ")"

**Attribute INITIAL\_STRINGBUILDER\_CAPACITY**

TypeExpression: int

DefaultValueExpression: 256

**Attribute IsArithmeticExpression**

TypeExpression: bool

DefaultValueExpression:

**Attribute IsBinaryOperator**

TypeExpression: bool

DefaultValueExpression:

**Attribute IsBoolExpression**

TypeExpression: bool

DefaultValueExpression:

**Attribute IsOperator**

TypeExpression: bool

DefaultValueExpression:

**Attribute IsTerminal**

TypeExpression: bool

DefaultValueExpression:

**Attribute IsUnaryOperator**

TypeExpression: bool  
DefaultValueExpression:

**Attribute LeftExpression**

TypeExpression: Expression  
DefaultValueExpression:

**Attribute NULL\_CHILD**

TypeExpression: string  
DefaultValueExpression: "<null>"

**Attribute OPEN\_PARENTHESIS**

TypeExpression: string  
DefaultValueExpression: "("

---

**Attribute OperatorType**

TypeExpression: OperatorType  
DefaultValueExpression:

**Attribute PrecedenceCategory**

TypeExpression: PrecedenceCategory  
DefaultValueExpression:

**Attribute RightExpression**

TypeExpression: Expression  
DefaultValueExpression:

**Attribute SPACE**

TypeExpression: string  
DefaultValueExpression: " "

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

**Operation GetBinaryExpressionString**

Visibility: 1 - PROTECTED

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Operation GetUnaryExpressionString**

Visibility: 1 - PROTECTED

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

***Operation IsArithmeticExpression***

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

---

***Operation IsBinaryOperator***

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

***Operation IsBoolExpression***

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

***Operation IsOperator***

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

***Operation IsTerminal***

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:



**Operation IsUnaryOperator**

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation OperatorType**

Visibility: 3 - PACKAGE

**Parameter OperatorType**

Kind: 3 - RETURN

TypeExpression: OperatorType

DefaultValueExpression:

**Operation PopulateTokenList**

Visibility: 3 - PACKAGE

**Parameter tokens**

Kind: 0 - IN

TypeExpression: TokenList

DefaultValueExpression:

**Operation PrecedenceCategory**

Visibility: 3 - PACKAGE

**Parameter PrecedenceCategory**

Kind: 3 - RETURN

TypeExpression: PrecedenceCategory

DefaultValueExpression:

### ***Operation RightExpression***

Visibility: 3 - PACKAGE

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation RightExpression***

Visibility: 3 - PACKAGE

#### **Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation ToToken***

Visibility: 0 - PUBLIC

#### **Parameter Token**

Kind: 3 - RETURN

TypeExpression: Token

DefaultValueExpression:

### ***Operation ToTokenList***

Visibility: 0 - PUBLIC

#### **Parameter TokenList**

Kind: 3 - RETURN

TypeExpression: TokenList

DefaultValueExpression:

## **Class ExpressionBuilder**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ExpressionBuilder

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: A helper class used to build Criteria expressions.

### ***Attribute Count***

TypeExpression: int.

DefaultValueExpression:

### ***Attribute currentTokenIndex***

TypeExpression: int

DefaultValueExpression:

### ***Operation Additive***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

---

### ***Operation Additive***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

#### **Parameter leftExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation AppendExpression***

Visibility: 0 - PUBLIC

#### **Parameter expression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation AppendToken***

Visibility: 0 - PUBLIC

#### **Parameter literalObject**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

### ***Operation AppendToken***

Visibility: 0 - PUBLIC

#### **Parameter token**

Kind: 0 - IN

TypeExpression: Token  
DefaultValueExpression:

### ***Operation AppendToken***

Visibility: 0 - PUBLIC

#### **Parameter parenthesisType**

Kind: 0 - IN  
TypeExpression: ParenthesisType  
DefaultValueExpression:

### ***Operation AppendToken***

Visibility: 0 - PUBLIC

---

#### **Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

### ***Operation AppendToken***

Visibility: 0 - PUBLIC

#### **Parameter dataMemberType**

Kind: 0 - IN  
TypeExpression: DataMemberType  
DefaultValueExpression:

#### **Parameter dataMemberName**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation AppendTokenList***

Visibility: 0 - PUBLIC

#### **Parameter tokens**

Kind: 0 - IN  
TypeExpression: TokenList  
DefaultValueExpression:

### ***Operation BitwiseOr***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation BitwiseOr\_**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation BuildBinaryArithmeticOperator**

Visibility: 2 - PRIVATE

**Parameter BinaryArithmeticOperator**

Kind: 3 - RETURN

TypeExpression: BinaryArithmeticOperator

DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Parameter rightExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation BuildBinaryBoolOperator**

Visibility: 2 - PRIVATE

**Parameter BinaryBoolOperator**

Kind: 3 - RETURN

TypeExpression: BinaryBoolOperator

DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Parameter rightExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation BuildEqualityOperator***

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

---

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Parameter rightExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation BuildsOperator***

Visibility: 2 - PRIVATE

**Parameter RelationalOperator**

Kind: 3 - RETURN  
TypeExpression: RelationalOperator  
DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Parameter rightExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation BuildRelationalOperator***

Visibility: 2 - PRIVATE

**Parameter RelationalOperator**

Kind: 3 - RETURN  
TypeExpression: RelationalOperator  
DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

---

**Parameter rightExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation BuildUnaryArithmeticOperator***

Visibility: 2 - PRIVATE

**Parameter UnaryArithmeticOperator**

Kind: 3 - RETURN  
TypeExpression: UnaryArithmeticOperator  
DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Parameter expression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation BuildUnaryBoolOperator***

Visibility: 2 - PRIVATE

**Parameter UnaryBoolOperator**

Kind: 3 - RETURN  
TypeExpression: UnaryBoolOperator  
DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType

DefaultValueExpression:

**Parameter xpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation Clear**

Visibility: 0 - PUBLIC

**Operation ConditionalAnd**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation ConditionalAnd\_**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation ConditionalOr\_**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation ConditionalXor\_BitwiseXor\_BitwiseAnd**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN



TypeExpression: Expression  
DefaultValueExpression:

### ***Operation ConditionalXor\_BitwiseXor\_BitwiseAnd\_***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

#### **Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

---

### ***Operation Count***

Visibility: 0 - PUBLIC

#### **Parameter int**

Kind: 3 - RETURN  
TypeExpression: int  
DefaultValueExpression:

### ***Operation Equality***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

### ***Operation Equality\_***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

#### **Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

### ***Operation Expression***

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation ExpressionBuilder***

Visibility: 0 - PUBLIC

**Parameter tokens**

Kind: 0 - IN  
TypeExpression: TokenList  
DefaultValueExpression:

---

***Operation ExpressionBuilder***

Visibility: 0 - PUBLIC

**Parameter expression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation ExpressionBuilder***

Visibility: 0 - PUBLIC

***Operation GetArithmeticOperandRequiredMessage***

Visibility: 2 - PRIVATE

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

***Operation GetArithmeticOperandsRequiredMessage***

Visibility: 2 - PRIVATE

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Parameter operatorTyp**

Kind: 0 - IN  
TypeExpression: OperatorType

DefaultValueExpression:

### ***Operation GetBooleanOperandRequiredMessage***

Visibility: 2 - PRIVATE

#### **Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

#### **Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

---

### ***Operation GetBooleanOperandsRequiredMessage***

Visibility: 2 - PRIVATE

#### **Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

#### **Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

### ***Operation GetInvalidEqualityOperandsMessage***

Visibility: 2 - PRIVATE

#### **Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

#### **Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

### ***Operation GetMissingOperandMessage***

Visibility: 2 - PRIVATE

#### **Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Operation GetMissingRightOperandMessage**

Visibility: 2 - PRIVATE

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Parameter operatorType**

---

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Operation MoveNextToken**

Visibility: 2 - PRIVATE

**Parameter bool**

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

**Operation Multiplicative**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation Multiplicative\_**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation Parenthesis**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation Relational**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation Relational\_**

Visibility: 2 - PRIVATE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Parameter leftExpression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation Substitute**

Visibility: 2 - PRIVATE

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Parameter message**

Kind: 0 - IN

TypeExpression: string

DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Operation Terminal**

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation ToExpression***

Visibility: 0 - PUBLIC

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

---

### ***Operation Unary\_Function***

Visibility: 2 - PRIVATE

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

## **Class SubExpressionToken**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ExpressionBuilder::S

Stereotype:

Visibility: 2 - PRIVATE

Multiplicity:

Persistence: 0 - PERSISTENT

### ***Attribute Expression***

TypeExpression: Expression

DefaultValueExpression:

### ***Operation Expression***

Visibility: 0 - PUBLIC

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation SubExpressionToken***

Visibility: 0 - PUBLIC

#### **Parameter expression**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

## Class ExpressionContainer

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ExpressionContainer  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: The base class from which all Criteria expression containers are derived.

---

### ***Attribute Expression***

TypeExpression: Expression  
DefaultValueExpression:

### ***Operation Clear***

Visibility: 0 - PUBLIC

### ***Operation Clone***

Visibility: 0 - PUBLIC

### ***Parameter object***

Kind: 3 - RETURN  
TypeExpression: object.  
DefaultValueExpression:

### ***Operation ConvertToPostOrder***

Visibility: 2 - PRIVATE

### ***Parameter expression***

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

### ***Parameter expressionTokens***

Kind: 0 - IN  
TypeExpression: Stack  
DefaultValueExpression:

### ***Operation Expression***

Visibility: 0 - PUBLIC

### ***Parameter value***

Kind: 0 - IN  
TypeExpression: Expression

DefaultValueExpression:

### ***Operation Expression***

Visibility: 0 - PUBLIC

#### **Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation ExpressionContainer***

Visibility: 0 - PUBLIC

---

### ***Operation ExpressionContainer***

Visibility: 0 - PUBLIC

#### **Parameter expression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

### ***Operation GetEnumerator***

Visibility: 0 - PUBLIC

#### **Parameter IEnumerator**

Kind: 3 - RETURN

TypeExpression: IEnumerator

DefaultValueExpression:

### ***Operation GetExpressionEnumerator***

Visibility: 1 - PROTECTED

#### **Parameter ExpressionEnumerator**

Kind: 3 - RETURN

TypeExpression: ExpressionEnumerator

DefaultValueExpression:

### ***Operation GetNewExpressionContainer***

Visibility: 1 - PROTECTED

#### **Parameter ExpressionContainer**

Kind: 3 - RETURN

TypeExpression: ExpressionContainer

DefaultValueExpression:

### ***Operation ToPostOrderTokenStack***



Visibility: 0 - PUBLIC

### **Parameter Stack**

Kind: 3 - RETURN

TypeExpression: Stack

DefaultValueExpression:

### **Operation ToString**

Visibility: 0 - PUBLIC

### **Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

---

### **Operation ToTokenList**

Visibility: 0 - PUBLIC

### **Parameter TokenList**

Kind: 3 - RETURN

TypeExpression: TokenList

DefaultValueExpression:

## **Class ExpressionEnumerator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ExpressionEnumerator

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Enumerates the expression of an <see cref="ExpressionContainer"/> in infix order.

### **Attribute Current**

TypeExpression: object

DefaultValueExpression:

### **Attribute endOfExpression**

TypeExpression: bool

DefaultValueExpression:

### **Attribute INITIAL\_EXPRESSION\_STACK\_CAPACITY**

TypeExpression: int

DefaultValueExpression: 50

### **Operation Current**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

**Operation ExpressionEnumerator**

Visibility: 0 - PUBLIC

**Parameter expressionContainer**

Kind: 0 - IN  
TypeExpression: ExpressionContainer  
DefaultValueExpression:

---

**Operation MoveNext**

Visibility: 0 - PUBLIC

**Parameter bool**

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

**Operation Reset**

Visibility: 0 - PUBLIC

**Class ExpressionNodeMarker**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ExpressionNodeMarker  
Stereotype:  
Visibility: 3 - PACKAGE  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Used to track the enumeration status of an expression node.

**Attribute ExpressionNode**

TypeExpression: Expression  
DefaultValueExpression:

**Attribute Status**

TypeExpression: EnumerationStatus  
DefaultValueExpression:

**Operation ExpressionNode**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression  
DefaultValueExpression:

### ***Operation ExpressionNodeMarker***

Visibility: 3 - PACKAGE

#### **Parameter expressionNode**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

### ***Operation Status***

Visibility: 3 - PACKAGE

---

#### **Parameter value**

Kind: 0 - IN  
TypeExpression: EnumerationStatus  
DefaultValueExpression:

### ***Operation Status***

Visibility: 3 - PACKAGE

#### **Parameter EnumerationStatus**

Kind: 3 - RETURN  
TypeExpression: EnumerationStatus  
DefaultValueExpression:

## **Class Field**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Field  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: A representation of a field.

### ***Operation Field***

Visibility: 0 - PUBLIC

#### **Parameter fieldName**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

### ***Operation ToToken***

Visibility: 0 - PUBLIC

**Parameter Token**

Kind: 3 - RETURN

TypeExpression: Token

DefaultValueExpression:

## Class JoinExpression

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::JoinExpression

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

---

Documentation: Used to represent a join expression in the join clause of a Criteria instance.

**Attribute JoinType**

TypeExpression: JoinType

DefaultValueExpression:

**Attribute leftEntityAlias**

TypeExpression: string

DefaultValueExpression:

**Attribute LeftEntityAlias**

TypeExpression: string

DefaultValueExpression:

**Attribute rightEntityAlias**

TypeExpression: string

DefaultValueExpression:

**Attribute RightEntityAlias**

TypeExpression: string

DefaultValueExpression:

**Operation Clear**

Visibility: 0 - PUBLIC

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation GetExpressionEnumerator**

Visibility: 1 - PROTECTED

**Parameter ExpressionEnumerator**

Kind: 3 - RETURN

TypeExpression: ExpressionEnumerator

DefaultValueExpression:

**Operation GetNewExpressionContainer**

Visibility: 1 - PROTECTED

**Parameter ExpressionContainer**

Kind: 3 - RETURN

TypeExpression: ExpressionContainer

DefaultValueExpression:

---

**Operation JoinExpression**

Visibility: 3 - PACKAGE

**Parameter joinType**

Kind: 0 - IN

TypeExpression: JoinType

DefaultValueExpression:

**Operation JoinExpression**

Visibility: 3 - PACKAGE

**Parameter joinType**

Kind: 0 - IN

TypeExpression: JoinType

DefaultValueExpression:

**Parameter leftEntityAlias**

Kind: 0 - IN

TypeExpression: string

DefaultValueExpression:

**Parameter rightEntityAlias**

Kind: 0 - IN

TypeExpression: string

DefaultValueExpression:

**Parameter boolExpression**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

**Operation JoinType**

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN  
TypeExpression: JoinType  
DefaultValueExpression:

***Operation JoinType***

Visibility: 0 - PUBLIC

**Parameter JoinType**

Kind: 3 - RETURN  
TypeExpression: JoinType  
DefaultValueExpression:

---

***Operation LeftEntityAlias***

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

***Operation LeftEntityAlias***

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

***Operation RightEntityAlias***

Visibility: 0 - PUBLIC

**Parameter value**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

***Operation RightEntityAlias***

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

***Operation ToString***

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

## Class JoinExpressionEnumerator

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::JoinExpressionEnumera

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

---

Documentation: Used to enumerate the expression of a <see cref="JoinExpression"/>.

### Operation JoinExpressionEnumerator

Visibility: 0 - PUBLIC

**Parameter joinExpression**

Kind: 0 - IN

TypeExpression: JoinExpression

DefaultValueExpression:

## Class JoinList

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::JoinList

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Stores a list of join expressions.

**Attribute Count**

TypeExpression: int

DefaultValueExpression:

**Attribute INITIAL\_STRINGBUILDER\_CAPACITY**

TypeExpression: int

DefaultValueExpression: 256

**Attribute LIST\_SEPARATOR**

TypeExpression: string

DefaultValueExpression: ", "

**Operation Add**

Visibility: 0 - PUBLIC

**Parameter joinExpression**

Kind: 0 - IN

TypeExpression: JoinExpression

DefaultValueExpression:

***Operation AddRange***

Visibility: 0 - PUBLIC

**Parameter joinExpressions**

Kind: 0 - IN

TypeExpression: JoinExpression[]

DefaultValueExpression:

---

***Operation Clone***

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

***Operation Count***

Visibility: 0 - PUBLIC

**Parameter int**

Kind: 3 - RETURN

TypeExpression: int

DefaultValueExpression:

***Operation GetEnumerator***

Visibility: 0 - PUBLIC

**Parameter IEnumerator**

Kind: 3 - RETURN

TypeExpression: IEnumerator

DefaultValueExpression:

***Operation JoinList***

Visibility: 3 - PACKAGE

***Operation JoinList***

Visibility: 2 - PRIVATE

**Parameter joinExpressions**

Kind: 0 - IN



TypeExpression: ArrayList  
DefaultValueExpression:

### ***Operation ToArray***

Visibility: 0 - PUBLIC

#### **Parameter JoinExpression[]**

Kind: 3 - RETURN  
TypeExpression: JoinExpression[]  
DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC

---

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

## **Enumeration JoinType**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::JoinType

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: TODO: Documentation

### ***Enumeration Literal Inner***

value:

### ***Enumeration Literal Left***

value:

### ***Enumeration Literal Right***

value:

## **Class Literal**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Literal

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: A representation of a literal value.

***Attribute literalObject***

TypeExpression: Object  
DefaultValueExpression:

***Attribute LiteralObject***

TypeExpression: Object  
DefaultValueExpression:

***Operation Literal***

Visibility: 0 - PUBLIC

***Parameter literalObject***

Kind: 0 - IN  
TypeExpression: Object  
DefaultValueExpression:

---

***Operation LiteralObject***

Visibility: 0 - PUBLIC

***Parameter Object***

Kind: 3 - RETURN  
TypeExpression: Object  
DefaultValueExpression:

***Operation ToString***

Visibility: 0 - PUBLIC

***Parameter string***

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

***Operation ToToken***

Visibility: 0 - PUBLIC

***Parameter Token***

Kind: 3 - RETURN  
TypeExpression: Token  
DefaultValueExpression:

**Class LiteralToken**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::LiteralToken  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Represents a literal value.

### ***Attribute literalObject***

TypeExpression: Object

DefaultValueExpression:

### ***Attribute LiteralObject***

TypeExpression: Object

DefaultValueExpression:

### ***Operation LiteralObject***

Visibility: 0 - PUBLIC

#### **Parameter Object**

---

Kind: 3 - RETURN

TypeExpression: Object

DefaultValueExpression:

### ***Operation LiteralToken***

Visibility: 0 - PUBLIC

#### **Parameter literalObject**

Kind: 0 - IN

TypeExpression: Object

DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

### ***Operation ToTerminal***

Visibility: 0 - PUBLIC

#### **Parameter Terminal**

Kind: 3 - RETURN

TypeExpression: Terminal

DefaultValueExpression:

## **Class Operator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Operator

Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Defines two static object instances which implement the  
<B>IOperatorTokens</B> interface and a  
static instance of <B>OperatorPrecedences</B> and provides access to them through  
properties.  
<seealso cref="OperatorPrecedences"/>

### **Attribute CSHARP\_AND**

TypeExpression: string  
DefaultValueExpression: "&&"

### **Attribute CSHARP\_BITWISE\_AND**

TypeExpression: string  
DefaultValueExpression: "&"

---

### **Attribute CSHARP\_BITWISE\_NOT**

TypeExpression: string  
DefaultValueExpression: "~"

### **Attribute CSHARP\_BITWISE\_OR**

TypeExpression: string  
DefaultValueExpression: "|"

### **Attribute CSHARP\_BITWISE\_XOR**

TypeExpression: string  
DefaultValueExpression: "^"

### **Attribute CSHARP\_DIVIDE**

TypeExpression: string  
DefaultValueExpression: "/"

### **Attribute CSHARP\_EQUAL**

TypeExpression: string  
DefaultValueExpression: "=="

### **Attribute CSHARP\_GREATER\_THAN**

TypeExpression: string  
DefaultValueExpression: ">"

### **Attribute CSHARP\_GREATER\_THAN\_OR\_EQUAL**

TypeExpression: string  
DefaultValueExpression: ">="

### **Attribute CSHARP\_IS**

TypeExpression: string  
DefaultValueExpression: "is"

### **Attribute CSHARP\_LESS\_THAN**

TypeExpression: string

DefaultValueExpression: "<"

### **Attribute CSHARP\_LESS\_THAN\_OR\_EQUAL**

TypeExpression: string

DefaultValueExpression: "<="

### **Attribute CSHARP\_LIKE**

TypeExpression: string

DefaultValueExpression: "like"

### **Attribute CSHARP\_MINUS**

TypeExpression: string

DefaultValueExpression: "-"

### **Attribute CSHARP\_MODULUS**

TypeExpression: string

DefaultValueExpression: "%"

---

### **Attribute CSHARP\_MULTIPLY**

TypeExpression: string

DefaultValueExpression: "\*\*"

### **Attribute CSHARP\_NEGATIVE**

TypeExpression: string

DefaultValueExpression: "-"

### **Attribute CSHARP\_NOT**

TypeExpression: string

DefaultValueExpression: "!"

### **Attribute CSHARP\_NOT\_EQUAL**

TypeExpression: string

DefaultValueExpression: "!="

### **Attribute CSHARP\_OR**

TypeExpression: string

DefaultValueExpression: "||"

### **Attribute CSHARP\_PLUS**

TypeExpression: string

DefaultValueExpression: "+"

### **Attribute CSHARP\_XOR**

TypeExpression: string

DefaultValueExpression: "^"

### **Attribute CSharpTokens**

TypeExpression: CSharpOperatorTokens

DefaultValueExpression:

### **Attribute Precedences**

TypeExpression: OperatorPrecedences  
DefaultValueExpression:

### ***Operation CSharpTokens***

Visibility: 0 - PUBLIC

#### **Parameter CSharpOperatorTokens**

Kind: 3 - RETURN  
TypeExpression: CSharpOperatorTokens  
DefaultValueExpression:

### ***Operation InOperatorSet***

Visibility: 0 - PUBLIC

#### **Parameter bool**

---

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

#### **Parameter operatorSet**

Kind: 0 - IN  
TypeExpression: OperatorSet  
DefaultValueExpression:

#### **Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

### ***Operation InOperatorSet***

Visibility: 0 - PUBLIC

#### **Parameter bool**

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

#### **Parameter superset**

Kind: 0 - IN  
TypeExpression: OperatorSet  
DefaultValueExpression:

#### **Parameter subset**

Kind: 0 - IN  
TypeExpression: OperatorSet  
DefaultValueExpression:

### ***Operation Precedences***

Visibility: 3 - PACKAGE

**Parameter OperatorPrecedences**

Kind: 3 - RETURN  
 TypeExpression: OperatorPrecedences  
 DefaultValueExpression:

**Operation ToOperatorSet**

Visibility: 0 - PUBLIC

**Parameter OperatorSet**

Kind: 3 - RETURN  
 TypeExpression: OperatorSet  
 DefaultValueExpression:

**Parameter operatorType**

Kind: 0 - IN  
 TypeExpression: OperatorType  
 DefaultValueExpression:

**Class CSharpOperatorTokens**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Operator::CSharpOp  
 Stereotype:  
 Visibility: 0 - PUBLIC  
 Multiplicity:  
 Persistence: 0 - PERSISTENT

Documentation: Returns strings that represent C# operators.

**Attribute tokens**

```
TypeExpression: string[]
DefaultValueExpression: {
  // Logical operators
  CSHARP_AND,
  CSHARP_OR,
  CSHARP_XOR,
  CSHARP_NOT,

  // Comparison operators
  CSHARP_EQUAL,
  CSHARP_NOT_EQUAL,
  CSHARP_IS,
  CSHARP_LIKE,
  CSHARP_GREATER_THAN,
  CSHARP_LESS_THAN,
  CSHARP_GREATER_THAN_OR_EQUAL,
  CSHARP_LESS_THAN_OR_EQUAL,

  // Arithmetic operators
  CSHARP_NEGATIVE,
  CSHARP_MINUS,
  CSHARP_PLUS,
```

```

CSHARP_DIVIDE,
CSHARP_MULTIPLY,
CSHARP_MODULUS,

// Bitwise operators
CSHARP_BITWISE_AND,
CSHARP_BITWISE_OR,
CSHARP_BITWISE_XOR,
CSHARP_BITWISE_NOT
}

```

## Class OperatorPrecedences

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OperatorPrecedences  
 Stereotype:  
 Visibility: 3 - PACKAGE  
 Multiplicity:  
 Persistence: 0 - PERSISTENT

Documentation: Defines an array of operator precedences. The indexer returns the precedence category for the passed <B>OperatorType</B>.  
 <seealso cref="Microsoft.BusinessFramework.Entity.Criteria.OperatorType"/>

## Enumeration OperatorSet

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OperatorSet  
 Stereotype:  
 Visibility: 0 - PUBLIC  
 Multiplicity:  
 Persistence: 0 - PERSISTENT

Documentation: Specifies a set of operator types. This enumeration has a FlagsAttribute that allows bitwise combination of its members values.

### ***Enumeration Literal And***

value: 0x1

### ***Enumeration Literal Or***

value: 0x2

### ***Enumeration Literal Xor***

value: 0x4

### ***Enumeration Literal Not***

value: 0x8

### ***Enumeration Literal Equal***

value: 0x10

### ***Enumeration Literal NotEqual***



value: 0x20

***Enumeration Literal Is***

value: 0x40

***Enumeration Literal Like***

value: 0x80

***Enumeration Literal GreaterThan***

value: 0x100

***Enumeration Literal LessThan***

value: 0x200

***Enumeration Literal GreaterThanOrEqual***

value: 0x400

---

***Enumeration Literal LessThanOrEqual***

value: 0x800

***Enumeration Literal Negative***

value: 0x1000

***Enumeration Literal Minus***

value: 0x2000

***Enumeration Literal Plus***

value: 0x4000

***Enumeration Literal Divide***

value: 0x8000

***Enumeration Literal Multiply***

value: 0x10000

***Enumeration Literal Modulus***

value: 0x20000

***Enumeration Literal BitwiseAnd***

value: 0x40000

***Enumeration Literal BitwiseOr***

value: 0x80000

***Enumeration Literal BitwiseXor***

value: 0x100000

***Enumeration Literal BitwiseNot***

value: 0x200000

**Enumeration Literal AllIdentity**

value: Equal | NotEqual | Is

**Enumeration Literal AllOrdering**

value: GreaterThan | GreaterThanOrEqual | LessThan | LessThanOrEqual

**Enumeration Literal AllComparison**

value: AllIdentity | AllOrdering

**Enumeration Literal AllBitwise**

value: BitwiseAnd | BitwiseNot | BitwiseOr | BitwiseXor

**Enumeration Literal AllBoolean**

value: And | Or | Xor | Not

**Enumeration Literal AllArithmetic**

value: Plus | Minus | Multiply | Divide | Modulus | Negative

**Enumeration Literal AllString**

value: AllComparison | Like | Plus

**Enumeration Literal AllNumeric**

value: AllComparison | AllBitwise | AllArithmetic

**Enumeration Literal All**

value: AllNumeric | AllString | AllBoolean

**Class OperatorToken**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OperatorToken

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Represents an operator.

**Attribute OperatorType**

TypeExpression: OperatorType

DefaultValueExpression:

**Operation OperatorToken**

Visibility: 0 - PUBLIC

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Operation OperatorType**

Visibility: 0 - PUBLIC

**Parameter OperatorType**

Kind: 3 - RETURN

TypeExpression: OperatorType

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Enumeration OperatorType**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OperatorType

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Specifies a list of operator types that can be used in Criteria expressions.

**Enumeration Literal And**

value:

**Enumeration Literal Or**

value:

**Enumeration Literal Xor**

value:

**Enumeration Literal Not**

value:

**Enumeration Literal Equal**

value:

**Enumeration Literal NotEqual**

value:

**Enumeration Literal Is**

value:

**Enumeration Literal Like**

value:

**Enumeration Literal GreaterThan**

value:

**Enumeration Literal LessThan**

value:

**Enumeration Literal GreaterThanOrEqual**

value:

**Enumeration Literal LessThanOrEqual**

value:

---

**Enumeration Literal Negative**

value:

**Enumeration Literal Minus**

value:

**Enumeration Literal Plus**

value:

**Enumeration Literal Divide**

value:

**Enumeration Literal Multiply**

value:

**Enumeration Literal Modulus**

value:

**Enumeration Literal BitwiseAnd**

value:

**Enumeration Literal BitwiseOr**

value:

**Enumeration Literal BitwiseXor**

value:

**Enumeration Literal BitwiseNot**

value:

## Enumeration OrderByDirection

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OrderByDirection

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Specifies an order direction for a <see cref="OrderByExpression"/> instance.

### ***Enumeration Literal Ascending***

value:

### ***Enumeration Literal Descending***

value:

---

## Class OrderByExpression

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OrderByExpression

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Used to specify a field, property, or alias (ad hoc only) by which to order a collection or ad hoc query dataset.

### ***Attribute Direction***

TypeExpression: OrderByDirection

DefaultValueExpression:

### ***Operation Clone***

Visibility: 0 - PUBLIC

#### **Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

### ***Operation Direction***

Visibility: 0 - PUBLIC

#### **Parameter value**

Kind: 0 - IN

TypeExpression: OrderByDirection

DefaultValueExpression:

### ***Operation Direction***

Visibility: 0 - PUBLIC

**Parameter OrderByDirection**

Kind: 3 - RETURN  
TypeExpression: OrderByDirection  
DefaultValueExpression:

**Operation OrderByExpression**

Visibility: 3 - PACKAGE

**Parameter direction**

Kind: 0 - IN  
TypeExpression: OrderByDirection  
DefaultValueExpression:

---

**Class OrderByList**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::OrderByList  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Stores a list of <see cref="OrderByExpression"/> instances.

**Attribute Count**

TypeExpression: int  
DefaultValueExpression:

**Attribute DOUBLE\_QUOTE**

TypeExpression: string  
DefaultValueExpression: "\""

**Operation Add**

Visibility: 0 - PUBLIC

**Parameter orderByExpression**

Kind: 0 - IN  
TypeExpression: OrderByExpression  
DefaultValueExpression:

**Operation AddRange**

Visibility: 0 - PUBLIC

**Parameter orderByObjects**

Kind: 0 - IN  
TypeExpression: OrderByExpression[]  
DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation Count**

Visibility: 0 - PUBLIC

**Parameter int**

Kind: 3 - RETURN

TypeExpression: int

DefaultValueExpression:

**Operation GetEnumerator**

Visibility: 0 - PUBLIC

**Parameter IEnumerator**

Kind: 3 - RETURN

TypeExpression: IEnumerator

DefaultValueExpression:

**Operation OrderByList**

Visibility: 3 - PACKAGE

**Operation OrderByList**

Visibility: 2 - PRIVATE

**Parameter orderByList**

Kind: 0 - IN

TypeExpression: ArrayList

DefaultValueExpression:

**Operation ToArray**

Visibility: 0 - PUBLIC

**Parameter OrderByExpression[]**

Kind: 3 - RETURN

TypeExpression: OrderByExpression[]

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Class ParenthesisToken**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ParenthesisToken  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

---

Documentation: Represents an open or close parenthesis.

**Attribute ParenthesisType**

TypeExpression: ParenthesisType  
DefaultValueExpression:

**Operation ParenthesisToken**

Visibility: 0 - PUBLIC

**Parameter parenthesisType**

Kind: 0 - IN  
TypeExpression: ParenthesisType  
DefaultValueExpression:

**Operation ParenthesisType**

Visibility: 0 - PUBLIC

**Parameter ParenthesisType**

Kind: 3 - RETURN  
TypeExpression: ParenthesisType  
DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Enumeration ParenthesisType**



BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::ParenthesisType  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Specifies a list of parenthesis types.  
<seealso cref="ParenthesisToken"/>

### ***Enumeration Literal Open***

value:

### ***Enumeration Literal Close***

value:

---

## **Enumeration PrecedenceCategory**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::PrecedenceCategory  
Stereotype:  
Visibility: 3 - PACKAGE  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Specifies a list of precedence categories.

### ***Enumeration Literal ConditionalOr***

value:

### ***Enumeration Literal ConditionalAnd***

value:

### ***Enumeration Literal BitwiseOr***

value:

### ***Enumeration Literal BitwiseXorBitwiseAnd***

value:

### ***Enumeration Literal Equality***

value:

### ***Enumeration Literal Relational***

value:

### ***Enumeration Literal Additive***

value:

### ***Enumeration Literal Multiplicative***

value:

### ***Enumeration Literal Unary***

value:

### ***Enumeration Literal Terminal***

value:

## **Class Property**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Property

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: A representation of a property.

---

### ***Operation explicit operator***

Visibility: 0 - PUBLIC

#### **Parameter Property**

Kind: 3 - RETURN

TypeExpression: Property

DefaultValueExpression:

#### **Parameter propertyName**

Kind: 0 - IN

TypeExpression: string

DefaultValueExpression:

### ***Operation Property***

Visibility: 0 - PUBLIC

#### **Parameter propertyName**

Kind: 0 - IN

TypeExpression: string

DefaultValueExpression:

### ***Operation ToToken***

Visibility: 0 - PUBLIC

#### **Parameter Token**

Kind: 3 - RETURN

TypeExpression: Token

DefaultValueExpression:

## **Class PropertyAssignment**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::PropertyAssignment  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Represents a {Property, ValueExpression} pair to assign the value to the property in the set operation.  
(TODO add other set criterias)

### ***Attribute DataMember***

TypeExpression: DataMember  
DefaultValueExpression:

### ***Attribute ValueExpression***

TypeExpression: AssignmentExpression  
DefaultValueExpression:

---

### ***Operation Clone***

Visibility: 0 - PUBLIC

#### **Parameter object**

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

### ***Operation DataMember***

Visibility: 0 - PUBLIC

#### **Parameter DataMember**

Kind: 3 - RETURN  
TypeExpression: DataMember  
DefaultValueExpression:

### ***Operation PropertyAssignment***

Visibility: 3 - PACKAGE

### ***Operation PropertyAssignment***

Visibility: 3 - PACKAGE

#### **Parameter dataMember**

Kind: 0 - IN  
TypeExpression: DataMember  
DefaultValueExpression:

#### **Parameter valueExpression**

Kind: 0 - IN  
TypeExpression: AssignmentExpression  
DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Operation ValueExpression**

Visibility: 0 - PUBLIC

**Parameter AssignmentExpression**

Kind: 3 - RETURN

TypeExpression: AssignmentExpression

DefaultValueExpression:

**Class PropertyAssignmentList**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::PropertyAssignmentList

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Represents the list of property assignments in a <see cref="EntitySetUpdateCriteria"/> instance.  
(TODO add other set criterias)

**Attribute Count**

TypeExpression: int

DefaultValueExpression:

**Operation Add**

Visibility: 0 - PUBLIC

**Parameter propertyAssignment**

Kind: 0 - IN

TypeExpression: PropertyAssignment

DefaultValueExpression:

**Operation AddRange**

Visibility: 0 - PUBLIC

**Parameter propertyAssignments**

Kind: 0 - IN

TypeExpression: PropertyAssignment[]

DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation Count**

Visibility: 0 - PUBLIC

**Parameter int**

Kind: 3 - RETURN

TypeExpression: int

DefaultValueExpression:

**Operation GetEnumerator**

Visibility: 0 - PUBLIC

**Parameter IEnumerator**

Kind: 3 - RETURN

TypeExpression: IEnumerator

DefaultValueExpression:

**Operation PropertyAssignmentList**

Visibility: 3 - PACKAGE

**Operation PropertyAssignmentList**

Visibility: 3 - PACKAGE

**Parameter propertyAssignments**

Kind: 0 - IN

TypeExpression: ArrayList

DefaultValueExpression:

**Operation ToArray**

Visibility: 0 - PUBLIC

**Parameter PropertyAssignment[]**

Kind: 3 - RETURN

TypeExpression: PropertyAssignment[]

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class PropertyOrderByExpression**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::PropertyOrderByExpres:

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

---

Documentation: Used to specify a field, or property by which to order a collection or adhoc query dataset.**Attribute Property**

TypeExpression: Property

DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation Property**

Visibility: 0 - PUBLIC

**Parameter Property**

Kind: 3 - RETURN

TypeExpression: Property

DefaultValueExpression:

**Operation PropertyOrderByExpression**

Visibility: 3 - PACKAGE

**Parameter property**

Kind: 0 - IN

TypeExpression: Property

DefaultValueExpression:

**Operation PropertyOrderByExpression**

Visibility: 3 - PACKAGE

**Parameter property**

Kind: 0 - IN  
TypeExpression: Property  
DefaultValueExpression:

**Parameter direction**

Kind: 0 - IN  
TypeExpression: OrderByDirection  
DefaultValueExpression:

***Operation ToString***

Visibility: 0 - PUBLIC

**Parameter string**

---

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Enumeration PropertySqlClause**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::PropertySqlClause  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Indicates the kind of SQL expression in which the field of a custom data type is being used.

***Enumeration Literal Operand***

value:

***Enumeration Literal OrderBy***

value:

***Enumeration Literal Value***

value:

**Class RelationalOperator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::RelationalOperator  
Stereotype:  
Visibility: 3 - PACKAGE  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: A representation of a relational operator.

***Attribute IsBinaryOperator***

TypeExpression: bool  
DefaultValueExpression:

***Attribute LeftExpression***

TypeExpression: Expression  
DefaultValueExpression:

***Attribute RightExpression***

TypeExpression: Expression  
DefaultValueExpression:

***Operation Clone***

Visibility: 0 - PUBLIC

---

***Parameter object***

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

***Operation IsBinaryOperator***

Visibility: 3 - PACKAGE

***Parameter bool***

Kind: 3 - RETURN  
TypeExpression: bool  
DefaultValueExpression:

***Operation LeftExpression***

Visibility: 3 - PACKAGE

***Parameter value***

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation LeftExpression***

Visibility: 3 - PACKAGE

***Parameter Expression***

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

***Operation RelationalOperator***

Visibility: 3 - PACKAGE



**Parameter operatorType**

Kind: 0 - IN  
TypeExpression: OperatorType  
DefaultValueExpression:

**Parameter left**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

**Parameter right**

Kind: 0 - IN  
TypeExpression: ArithmeticExpression  
DefaultValueExpression:

---

**Operation RightExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation RightExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN  
TypeExpression: Expression  
DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

**Class SelectAlias**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::SelectAlias  
Stereotype:  
Visibility: 3 - PACKAGE  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Represents an alternate name for a select list item.

**Attribute alias**

TypeExpression: string  
DefaultValueExpression:

**Attribute Alias**

TypeExpression: string  
DefaultValueExpression:

**Operation Alias**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

---

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN  
TypeExpression: object  
DefaultValueExpression:

**Operation explicit operator**

Visibility: 0 - PUBLIC

**Parameter SelectAlias**

Kind: 3 - RETURN  
TypeExpression: SelectAlias  
DefaultValueExpression:

**Parameter alias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

**Operation SelectAlias**

Visibility: 3 - PACKAGE

**Parameter alias**

Kind: 0 - IN  
TypeExpression: string  
DefaultValueExpression:

## Class SelectExpression

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::SelectExpression

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Used to represent a select item of an <see cref="AdHocQueryCriteria"/> select list.

### **Operation Clear**

Visibility: 0 - PUBLIC

### **Operation Clone**

Visibility: 0 - PUBLIC

---

#### **Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

### **Operation GetExpressionEnumerator**

Visibility: 1 - PROTECTED

#### **Parameter ExpressionEnumerator**

Kind: 3 - RETURN

TypeExpression: ExpressionEnumerator

DefaultValueExpression:

### **Operation GetNewExpressionContainer**

Visibility: 1 - PROTECTED

#### **Parameter ExpressionContainer**

Kind: 3 - RETURN

TypeExpression: ExpressionContainer

DefaultValueExpression:

### **Operation SelectExpression**

Visibility: 3 - PACKAGE

### **Operation SelectExpression**

Visibility: 3 - PACKAGE

#### **Parameter expression**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Class SelectExpressionEnumerator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::SelectExpressionEnumerator

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Used to enumerate the expression of a [<see cref="SelectExpression"/>](#).**Operation SelectExpressionEnumerator**

Visibility: 0 - PUBLIC

**Parameter selectExpression**

Kind: 0 - IN

TypeExpression: SelectExpression

DefaultValueExpression:

**Class SelectList**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::SelectList

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: Represents the select list of an [<see cref="AdHocQueryCriteria"/>](#) instance.**Attribute Count**

TypeExpression: int

DefaultValueExpression:

**Operation Add**

Visibility: 0 - PUBLIC

**Parameter selectExpression**

Kind: 0 - IN

TypeExpression: SelectExpression

DefaultValueExpression:

**Operation AddRange**

Visibility: 0 - PUBLIC

**Parameter selectExpressions**

Kind: 0 - IN

TypeExpression: SelectExpression[]

DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation Count**

Visibility: 0 - PUBLIC

**Parameter int**

Kind: 3 - RETURN

TypeExpression: int

DefaultValueExpression:

**Operation GetEnumerator**

Visibility: 0 - PUBLIC

**Parameter IEnumerator**

Kind: 3 - RETURN

TypeExpression: IEnumerator

DefaultValueExpression:

**Operation SelectList**

Visibility: 3 - PACKAGE

**Operation SelectList**

Visibility: 3 - PACKAGE

**Parameter selectExpressions**

Kind: 0 - IN

TypeExpression: ArrayList

DefaultValueExpression:

**Operation ToArray**

Visibility: 0 - PUBLIC

**Parameter SelectExpression[]**

Kind: 3 - RETURN  
TypeExpression: SelectExpression[]  
DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

---

**Class SortType**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::SortType  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Represents a sort type, ascending or descending.

**Attribute Direction**

TypeExpression: OrderByDirection  
DefaultValueExpression:

**Operation Direction**

Visibility: 0 - PUBLIC

**Parameter OrderByDirection**

Kind: 3 - RETURN  
TypeExpression: OrderByDirection  
DefaultValueExpression:

**Operation explicit operator**

Visibility: 0 - PUBLIC

**Parameter SortType**

Kind: 3 - RETURN  
TypeExpression: SortType  
DefaultValueExpression:

**Parameter direction**

Kind: 0 - IN  
TypeExpression: OrderByDirection  
DefaultValueExpression:

**Operation SortType**

Visibility: 3 - PACKAGE

**Parameter direction**

Kind: 0 - IN

TypeExpression: OrderByDirection

DefaultValueExpression:

**Class Terminal**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Terminal

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which all terminal expression elements are derived.

**Attribute INITIAL\_STRINGBUILDER\_CAPACITY**

TypeExpression: int

DefaultValueExpression: 256

**Attribute PrecedenceCategory**

TypeExpression: PrecedenceCategory

DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation PopulateTokenList**

Visibility: 3 - PACKAGE

**Parameter tokens**

Kind: 0 - IN

TypeExpression: TokenList

DefaultValueExpression:

**Operation PrecedenceCategory**

Visibility: 3 - PACKAGE

**Parameter PrecedenceCategory**

Kind: 3 - RETURN

TypeExpression: PrecedenceCategory  
DefaultValueExpression:

### ***Operation Terminal***

Visibility: 0 - PUBLIC

## **Class TerminalToken**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::TerminalToken

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

---

Documentation: An abstract class representing a terminal.

### ***Operation TerminalToken***

Visibility: 0 - PUBLIC

### ***Operation ToTerminal***

Visibility: 0 - PUBLIC

### **Parameter Terminal**

Kind: 3 - RETURN

TypeExpression: Terminal

DefaultValueExpression:

## **Class Token**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::Token

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The base class from which all token classes are derived.

### ***Operation Token***

Visibility: 0 - PUBLIC

## **Class TokenList**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::TokenList

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:



Persistence: 0 - PERSISTENT

Documentation: Used to store a list of <see cref="Token"/> instances.

### ***Attribute Count***

TypeExpression: int

DefaultValueExpression:

### ***Operation Add***

Visibility: 0 - PUBLIC

#### **Parameter token**

Kind: 0 - IN

TypeExpression: Token

DefaultValueExpression:

---

### ***Operation AddRange***

Visibility: 0 - PUBLIC

#### **Parameter tokens**

Kind: 0 - IN

TypeExpression: TokenList

DefaultValueExpression:

### ***Operation Clear***

Visibility: 0 - PUBLIC

### ***Operation Clone***

Visibility: 0 - PUBLIC

#### **Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

### ***Operation Count***

Visibility: 0 - PUBLIC

#### **Parameter int**

Kind: 3 - RETURN

TypeExpression: int

DefaultValueExpression:

### ***Operation GetEnumerator***

Visibility: 0 - PUBLIC

#### **Parameter IEnumerator**

Kind: 3 - RETURN

TypeExpression: IEnumarator  
DefaultValueExpression:

### ***Operation ToArray***

Visibility: 0 - PUBLIC

#### **Parameter Token[]**

Kind: 3 - RETURN  
TypeExpression: Token[]  
DefaultValueExpression:

### ***Operation TokenList***

Visibility: 0 - PUBLIC

---

### ***Operation TokenList***

Visibility: 0 - PUBLIC

#### **Parameter tokens**

Kind: 0 - IN  
TypeExpression: ArrayList  
DefaultValueExpression:

### ***Operation ToString***

Visibility: 0 - PUBLIC

#### **Parameter string**

Kind: 3 - RETURN  
TypeExpression: string  
DefaultValueExpression:

## **Class UnaryArithmeticOperator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::UnaryArithmeticOperator

Stereotype:

Visibility: 3 - PACKAGE

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: A representation of a unary arithmetic operator.

### ***Attribute IsUnaryOperator***

TypeExpression: bool  
DefaultValueExpression:

### ***Attribute LeftExpression***

TypeExpression: Expression  
DefaultValueExpression:

**Operation Clone**

Visibility: 0 - PUBLIC

**Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

**Operation IsUnaryOperator**

Visibility: 3 - PACKAGE

**Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation PopulateTokenList**

Visibility: 3 - PACKAGE

**Parameter tokens**

Kind: 0 - IN

TypeExpression: TokenList

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

### ***Operation UnaryArithmeticOperator***

Visibility: 3 - PACKAGE

#### **Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

#### **Parameter expression**

Kind: 0 - IN

TypeExpression: ArithmeticExpression

DefaultValueExpression:

---

## **Class UnaryBoolOperator**

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::UnaryBoolOperator

Stereotype:

Visibility: 3 - PACKAGE

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: A representation of a unary boolean operator.

### ***Attribute IsUnaryOperator***

TypeExpression: bool

DefaultValueExpression:

### ***Attribute LeftExpression***

TypeExpression: Expression

DefaultValueExpression:

### ***Operation Clone***

Visibility: 0 - PUBLIC

#### **Parameter object**

Kind: 3 - RETURN

TypeExpression: object

DefaultValueExpression:

### ***Operation IsUnaryOperator***

Visibility: 3 - PACKAGE

#### **Parameter bool**

Kind: 3 - RETURN

TypeExpression: bool

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter value**

Kind: 0 - IN

TypeExpression: Expression

DefaultValueExpression:

**Operation LeftExpression**

Visibility: 3 - PACKAGE

**Parameter Expression**

Kind: 3 - RETURN

TypeExpression: Expression

DefaultValueExpression:

**Operation PopulateTokenList**

Visibility: 3 - PACKAGE

**Parameter tokens**

Kind: 0 - IN

TypeExpression: TokenList

DefaultValueExpression:

**Operation ToString**

Visibility: 0 - PUBLIC

**Parameter string**

Kind: 3 - RETURN

TypeExpression: string

DefaultValueExpression:

**Operation UnaryBoolOperator**

Visibility: 3 - PACKAGE

**Parameter operatorType**

Kind: 0 - IN

TypeExpression: OperatorType

DefaultValueExpression:

**Parameter expression**

Kind: 0 - IN

TypeExpression: BoolExpression

DefaultValueExpression:

## Class WhereExpression

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::WhereExpression  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Used to represent the where clause of a Criteria instance.

### Operation GetExpressionEnumerator

Visibility: 1 - PROTECTED

#### Parameter ExpressionEnumerator

Kind: 3 - RETURN  
TypeExpression: ExpressionEnumerator  
DefaultValueExpression:

---

### Operation GetNewExpressionContainer

Visibility: 1 - PROTECTED

#### Parameter ExpressionContainer

Kind: 3 - RETURN  
TypeExpression: ExpressionContainer  
DefaultValueExpression:

### Operation WhereExpression

Visibility: 3 - PACKAGE

### Operation WhereExpression

Visibility: 3 - PACKAGE

#### Parameter boolExpression

Kind: 0 - IN  
TypeExpression: BoolExpression  
DefaultValueExpression:

## Class WhereExpressionEnumerator

BusinessFramework::Microsoft::BusinessFramework::Entity::Criteria::WhereExpressionEnum  
Stereotype:  
Visibility: 0 - PUBLIC  
Multiplicity:  
Persistence: 0 - PERSISTENT

Documentation: Used to enumerate the expression of a <see cref="WhereExpression"/>.

**Operation WhereExpressionEnumerator**

Visibility: 0 - PUBLIC

**Parameter whereExpression**

Kind: 0 - IN

TypeExpression: WhereExpression

DefaultValueExpression:

**Interface IKey**

BusinessFramework::Microsoft::BusinessFramework::Entity::IKey

Stereotype:

Visibility: 0 - PUBLIC

Multiplicity:

Persistence: 0 - PERSISTENT

Documentation: The common interface for all keys.

# Appendix B


## Detailed Class Report Diagrams


---


Pages 1-26


and Pages 1-7





























# AdHocQueryCriteria









# BoolExpression




## CollectionCriteria




CriteriaWithOrderBy



# EntityAliasList




## EntityCriteria






## EntitySetUpdateCriteria




# Expression




# ExpressionBuilder


ExpressionBuilder	
tokens : TokenList	
currentTokenIndex : int	
currentToken : Token	
<<constructor>> ExpressionBuilder() <<constructor>> ExpressionBuilder(expression : Expression) <<constructor>> ExpressionBuilder(tokens : TokenList) AppendToken(token : Token) AppendToken(parenthesisType : ParenthesisType) AppendToken(operatorType : OperatorType) AppendToken(dataMemberType : DataMemberType, dataMemberName : string) AppendToken(literalObject : Object) AppendExpression(Expression expression) AppendTokenList(TokenList tokens) ToExpression() : Expression Clear() Count() : int Expression() : Expression ConditionalOr_(leftExpression : Expression) : Expression ConditionalAnd() : Expression ConditionalAnd_(leftExpression : Expression) : Expression BitwiseOr() : Expression BitwiseOr_(leftExpression : Expression) : Expression ConditionalXor_BitwiseXor_BitwiseAnd() : Expression ConditionalXor_BitwiseXor_BitwiseAnd_(leftExpression : Expression) : Expression Equality() : Expression Equality_(leftExpression : Expression) : Expression Relational() : Expression Relational_(leftExpression : Expression) : Expression Additive() : Expression Additive_(leftExpression : Expression) : Expression Multiplicative() : Expression Multiplicative_(leftExpression : Expression) : Expression Unary_Function() : Expression Terminal() : Expression Parenthesis() : Expression BuildBinaryBoolOperator(operatorType : OperatorType, leftExpression : Expression, rightExpression : Expression) : BinaryBoolOperator BuildBinaryArithmeticOperator(operatorType : OperatorType, leftExpression : Expression, rightExpression : Expression) : BinaryArithmeticOperator BuildEqualityOperator(operatorType : OperatorType, leftExpression : Expression, rightExpression : Expression) : Expression BuildRelationalOperator(operatorType : OperatorType, leftExpression : Expression, rightExpression : Expression) : RelationalOperator BuildDisOperator(leftExpression : Expression, rightExpression : Expression) : RelationalOperator BuildUnaryBoolOperator(operatorType : OperatorType, expression : Expression) : UnaryBoolOperator BuildUnaryArithmeticOperator(operatorType : OperatorType, expression : Expression) : UnaryArithmeticOperator GetMissingRightOperandMessage(operatorType : OperatorType) : string GetMissingOperandMessage(operatorType : OperatorType) : string GetBooleanOperandsRequiredMessage(operatorType : OperatorType) : string GetBooleanOperandRequiredMessage(operatorType : OperatorType) : string GetArithmeticOperandsRequiredMessage(operatorType : OperatorType) : string GetArithmeticOperandRequiredMessage(operatorType : OperatorType) : string GetInvalidEqualityOperandsMessage(operatorType : OperatorType) : string Substitute(message : string, operatorType : OperatorType) : string MoveNextToken() : bool	




# ExpressionContainer




# ExpressionEnumerator






## Function




## JoinExpression







## JoinList




## Operator




## OrderByList




## PropertyAssignmentList




# SelectExpression




## SelectList Implementation



# Terminal




# Token





## TokenList Implementation



## WhereExpression

